

# **INDIGENOUS TREES, SHRUBS, PALMS, PALM LILIES AND TREEFERNS OF RAINFOREST AT BEECHMONT AND LOWER BEECHMONT, QUEENSLAND**

**(This list includes plateau, escarpment and gorge flora.)**

Classification, conservation status and botanical names in this list follow "Census of the Queensland Flora 2007", Queensland Herbarium (1).

**Conservation status:**      E = Endangered  
                                  V = Vulnerable  
                                  R = Rare

\* Not known to inhabit the central Beechmont environs – see Note 2, Page 11.

## **Treeferns PTERIDOPHYTES**

<b>Family Name</b>	<b>Botanical Name</b>	<b>Common Name</b>
Cyatheaceae	* <i>Cyathea australis</i>	*Rough Treefern
Cyatheaceae	<i>Cyathea cooperi</i>	Straw Treefern
Cyatheaceae	* <i>Cyathea leichhardtiana</i>	*Prickly Treefern

## **Conifers GYMNOSEPERMS**

<b>Family Name</b>	<b>Botanical Name</b>	<b>Common Name</b>
Araucariaceae	<i>Araucaria cunninghamii</i>	Hoop Pine
Cupressaceae	<i>Callitris macleayana</i>	Stringybark Pine
Podocarpaceae	<i>Podocarpus elatus</i>	Plum Pine, Brown Pine
Zamiaceae	* <i>Lepidozamia peroffskyana</i>	*Shining Burrawang

## **Palms and Palm Lilies MONOCOTYLEDONS**

<b>Family Name</b>	<b>Botanical Name</b>	<b>Common Name</b>
Arecaceae	<i>Archontophoenix cunninghamiana</i>	Picca-been Palm, Bangalow Palm
Arecaceae	<i>Linospadix monostachya</i>	Walking-stick Palm, Midgenbil
Laxmanniaceae (Dracaenaceae / Agavaceae)	<i>Cordyline congesta</i>	Toothed-leaved Palm Lily
Laxmanniaceae (Dracaenaceae / Agavaceae)	<i>Cordyline petiolaris</i>	Broad-leaved Palm Lily
Laxmanniaceae (Dracaenaceae / Agavaceae)	<i>Cordyline rubra</i>	Red-fruited Palm Lily

INDIGENOUS TREES, SHRUBS, PALMS, PALM LILIES AND TREEFERNS OF RAINFOREST AT BEECHMONT AND LOWER BEECHMONT, QUEENSLAND

## Trees and Shrubs DICOTYLEDONS

<b>Family Name</b>	<b>Botanical Name</b>	<b>Common Name</b>
Akaniaceae	<i>Akania bidwillii</i> (A. lucens)	Turnipwood
Amaranthaceae	<i>Deeringia amaranthoides</i>	Small Deeringia, Shrubby Deeringia
Amaranthaceae	<i>Deeringia arborescens</i>	Climbing Deeringia
Anacardiaceae	<i>Euroschinus falcatus</i> var. <i>falcatus</i>	Ribbonwood, Pink Poplar
Anacardiaceae	<i>Rhodosphaera rhodanthema</i>	Deep Yellowwood, Tulip Satinwood
Annonaceae	<i>Meiogyne stenopetala</i> ( <i>Ancana stenopetala</i> , <i>Fissistigma stenopetala</i> )	Fissistigma
Annonaceae	* <i>Polyalthia nitidissima</i>	*Canary Beech, Polyalthia
Apocynaceae	*R <i>Alyxia magnifolia</i>	*Large-leaved Chain Fruit, Large-leaved Alyxia
Apocynaceae	<i>Alyxia ruscifolia</i>	Prickly Alyxia, Chain Fruit
Apocynaceae	<i>Carissa ovata</i>	Currant Bush
Apocynaceae	<i>Tabernaemontana pandacaqui</i> ( <i>Ervatamia angustisepala</i> )	Banana Bush
Araliaceae	<i>Polyscias elegans</i>	Celerywood
Araliaceae	<i>Polyscias murrayi</i>	Pencil Cedar
Araliaceae	<i>Polyscias sambucifolia</i>	Elderberry Panax
Argophyllaceae (Grossulariaceae, Escalloniaceae)	*R <i>Argophyllum nullumense</i>	*Silver Leaf
Atherospermaceae (Monimiaceae)	<i>Daphnandra apatela</i> ( <i>Daphnandra</i> sp. McPherson Range)	Common Socketwood
Atherospermaceae (Monimiaceae)	<i>Doryphora sassafras</i>	Sassafras, Yellow Sassafras
Boraginaceae (Ehretiaceae)	<i>Ehretia acuminata</i> var. <i>acuminata</i>	Koda
Burseraceae	* <i>Canarium australasicum</i>	*Mangobark, Brown Cudgerie
Byttneriaceae (Sterculiaceae)	<i>Commersonia bartramia</i>	Brown Kurrajong
Caesalpiniaceae	R <i>Cassia marksiana</i> ( <i>Cassia brewsteri</i> var. <i>marksiana</i> )	Brush Cassia, Laburnum
Capparaceae	<i>Capparis arborea</i>	Native Pomegranate, Wild Lemon, Caper Bush, Brush Caper Berry
Carpodetaceae (Grossulariaceae / Escalloniaceae)	<i>Abrophyllum ornans</i>	Native Hydrangea
Celastraceae	<i>Denhamia celastroides</i>	Denhamia, Broad-leaved Boxwood
Celastraceae	<i>Elaeodendron australe</i> var. <i>australe</i>	Red Olive Plum

INDIGENOUS TREES, SHRUBS, PALMS, PALM LILIES AND TREEFERNS OF RAINFOREST AT BEECHMONT AND LOWER BEECHMONT, QUEENSLAND

## Trees and Shrubs DICOTYLEDONS cont.

<b>Family Name</b>	<b>Botanical Name</b>	<b>Common Name</b>
Celastraceae	* <i>Hedraianthera porphyropetala</i>	*Hedraianthera
Celastraceae	<i>Maytenus bilocularis</i>	Orangebark
Celastraceae	<i>Maytenus silvestris</i>	Narrow-leaved Orangebark
Celastraceae	<i>Siphonodon australis</i>	Ivorywood
Cornaceae (Alangiaceae)	<i>Alangium villosum</i> subsp. <i>polyosmoides</i>	Muskwood
Cunoniaceae	* <i>Caldcluvia paniculosa</i> ( <i>Ackama paniculata</i> )	*Rose-leaved Marara, Soft Corkwood
Cunoniaceae	* <i>Ceratopetalum apetalum</i>	*Coachwood
Cunoniaceae	<i>Geissois benthamii</i>	Red Carabeen
Cunoniaceae	<i>Pseudoweinmannia lachnocarpa</i>	Marara, Rose Marara, Mararie
Cunoniaceae	<i>Schizomeria ovata</i>	Crabapple, White Birch
Ebenaceae	<i>Diospyros australis</i>	Yellow Persimmon
Ebenaceae	<i>Diospyros pentamera</i>	Black Myrtle, Myrtle Ebony, Grey Persimmon
Elaeocarpaceae	<i>Elaeocarpus grandis</i>	Blue Quandong, Blue Fig
Elaeocarpaceae	<i>Elaeocarpus kirtonii</i>	White Quandong
Elaeocarpaceae	<i>Elaeocarpus obovatus</i>	Hard Quandong
Elaeocarpaceae	<i>Elaeocarpus reticulatus</i>	Blueberry Ash
Elaeocarpaceae	<i>Sloanea australis</i> subsp. <i>australis</i>	Maiden's Blush, Blush Alder
Elaeocarpaceae	<i>Sloanea woollsii</i>	Yellow Carabeen
Ericaceae (Epacridaceae)	<i>Trochocarpa laurina</i>	Tree Heath
Escalloniaceae (Grossulariaceae)	<i>Polyosma cunninghamii</i>	Featherwood
Euphorbiaceae	* <i>Acalypha nemorum</i>	*Hairy Acalypha
Euphorbiaceae	<i>Alchornia ilicifolia</i>	Native Holly
Euphorbiaceae	<i>Baloghia inophylla</i>	Scrub Bloodwood
Euphorbiaceae	<i>Claoxylon australe</i>	Brittlewood
Euphorbiaceae	<i>Croton acronychioides</i>	Thick-leaved Croton
Euphorbiaceae	<i>Croton stigmatosus</i>	White Croton
Euphorbiaceae	<i>Croton verreauxii</i>	Native Cascarilla
Euphorbiaceae	<i>Excoecaria dallachiana</i>	Scrub Poison Tree, Scrub Blind-your-eye
Euphorbiaceae	<i>Homalanthus nutans</i> ( <i>H. populifolius</i> , <i>Omalanthus nutans</i> or <i>O. populifolius</i> )	Bleeding Heart
Euphorbiaceae	<i>Macaranga tanarius</i>	Macaranga
Euphorbiaceae	<i>Mallotus discolor</i>	Yellow Kamala, White Kamala
Euphorbiaceae	<i>Mallotus philippensis</i>	Red Kamala
Eupomatiaceae	<i>Eupomatia bennettii</i>	Small Bolwarra
Eupomatiaceae	<i>Eupomatia laurina</i>	Bolwarra, Copper Laurel, Native Guava
Fabaceae	<i>Castanospermum australe</i>	Black Bean

INDIGENOUS TREES, SHRUBS, PALMS, PALM LILIES AND TREEFERNS OF RAINFOREST AT BEECHMONT AND LOWER BEECHMONT, QUEENSLAND

## Trees and Shrubs DICOTYLEDONS cont.

<b>Family Name</b>	<b>Botanical Name</b>	<b>Common Name</b>
Flacourtiaceae	<i>Scolopia braunii</i>	Flintwood
Gyrostemonaceae	<i>Codonocarpus attenuatus</i>	Bellfruit Tree
Lamiaceae (Verbenaceae)	<i>Callicarpa pedunculata</i>	Callicarpa, Velvet Leaf
Lamiaceae (Verbenaceae)	<i>Clerodendrum floribundum</i>	Smooth Clerodendrum, Lollybush
Lamiaceae (Verbenaceae)	<i>Clerodendrum tomentosum</i>	Hairy Clerodendrum, Hairy Lollybush
Lamiaceae (Verbenaceae)	<i>Gmelina leichhardtii</i>	White Beech
Lamiaceae (Verbenaceae)	<i>Vitex lignum-vitae (Premna lignum-vitae)</i>	Lignum-vitae, Satinwood
Lauraceae	<i>Beilschmiedia elliptica</i>	Grey Walnut
Lauraceae	<i>Beilschmiedia obtusifolia</i>	Hard Bolly Gum, Blush Walnut
Lauraceae	<i>Cinnamomum oliveri</i>	Oliver's Sassafras, Camphorwood
Lauraceae	<i>Cryptocarya bidwillii</i>	Yellow Laurel
Lauraceae	<i>Cryptocarya erythroxylon</i>	Pigeonberry Ash
Lauraceae	<i>V Cryptocarya foetida</i>	Stinking Cryptocarya
Lauraceae	* <i>Cryptocarya glaucescens</i>	*Jackwood, Silver Sycamore
Lauraceae	* <i>Cryptocarya laevigata</i>	*Red-fruited Laurel, Glossy Laurel
Lauraceae	* <i>Cryptocarya macdonaldii (Cryptocarya sp. 'Cooloola')</i>	*Cooloola Laurel
Lauraceae	<i>Cryptocarya microneura</i>	Murrogun
Lauraceae	<i>Cryptocarya obovata</i>	Pepperberry Tree
Lauraceae	* <i>Cryptocarya sclerophylla (Cryptocarya sp. 'Boonah' in part)</i>	*Hard Cryptocarya
Lauraceae	<i>Cryptocarya triplinervis</i>	Three-veined Laurel
Lauraceae	<i>Endiandra crassiflora</i>	Dorrigo Maple
Lauraceae	<i>Endiandra muelleri subsp. muelleri</i>	Green-leaved Rose Walnut, Mueller's Walnut
Lauraceae	* <i>Endiandra muelleri subsp. bracteata</i>	*Northern Rose Walnut
Lauraceae	<i>Endiandra pubens</i>	Hairy Walnut
Lauraceae	<i>Litsea australis</i>	Brown Bolly Gum
Lauraceae	<i>Litsea reticulata</i>	Bolly Gum
Lauraceae	<i>Neolitsea australiensis</i>	Green Bolly Gum
Lauraceae	<i>Neolitsea dealbata</i>	White Bolly Gum
Leptaulaceae (Icacinaceae)	<i>Citronella moorei</i>	Churnwood, Soap Box, Silky Beech
Loganiaceae	* <i>Strychnos psilosperma</i>	*Strychnine Tree
Malvaceae	<i>Abutilon oxycarpum</i>	Small-flowered Abutilon, Flannel Weed
Malvaceae	<i>Hibiscus heterophyllus</i>	Native Rosella
Meliaceae	<i>Anthocarapa nitidula</i>	Incense Cedar

INDIGENOUS TREES, SHRUBS, PALMS, PALM LILIES AND TREEFERNS OF RAINFOREST AT BEECHMONT AND LOWER BEECHMONT, QUEENSLAND

## Trees and Shrubs DICOTYLEDONS cont.

<b>Family Name</b>	<b>Botanical Name</b>	<b>Common Name</b>
Meliaceae	<i>Dysoxylum fraserianum</i>	Rosewood, Rose Mahogany
Meliaceae	<i>Dysoxylum mollissimum</i> subsp. <i>molle</i> (D. muelleri)	Red Bean, Miva Mahogany
Meliaceae	<i>Dysoxylum rufum</i>	Hairy Rosewood, Rusty Mahogany
Meliaceae	<i>Melia azedarach</i>	White Cedar
Meliaceae	* <i>V Owenia cepiodora</i>	*Onion Cedar
Meliaceae	<i>Synoum glandulosum</i>	Scentless Rosewood
Meliaceae	<i>Toona ciliata</i> (T. <i>australis</i> )	Red Cedar
Mimosaceae	<i>Acacia disparrima</i> subsp. <i>disparrima</i> ( <i>A. aulacocarpa</i> )	Hickory Wattle, Brush Ironbark Wattle, Brown Salwood
Mimosaceae	<i>Acacia maidenii</i>	Maiden's Wattle
Mimosaceae	<i>Acacia melanoxylon</i>	Blackwood
Mimosaceae	<i>Archidendron grandiflorum</i>	Pink Laceflower, Fairies' Paint Brush
Mimosaceae	<i>Pararchidendron pruinosa</i>	Snowwood
Monimiaceae	<i>Palmeria scandens</i>	Anchor Vine
Monimiaceae	<i>Wilkiea austroqueenslandica</i>	Smooth Wilkiea
Monimiaceae	<i>Wilkiea huegeliana</i>	Veiny Wilkiea
Moraceae	<i>Ficus coronata</i>	Creek Sandpaper Fig
Moraceae	<i>Ficus fraseri</i>	Sandpaper Fig
Moraceae	<i>Ficus macrophylla</i>	Moreton Bay Fig
Moraceae	<i>Ficus obliqua</i>	Small-leaved Fig
Moraceae	<i>Ficus rubiginosa</i> ( <i>F. platypoda</i> and <i>F. obliqua</i> var. <i>petiolaris</i> )	Rock Fig
Moraceae	<i>Ficus superba</i> var. <i>henneana</i>	Deciduous Fig
Moraceae	<i>Ficus virens</i>	White Fig
Moraceae	<i>Ficus watkinsiana</i>	Watkin's Fig, Strangler Fig
Moraceae	<i>Maclura cochinchinensis</i>	Cockspur, Cockspur Thorn
Moraceae	<i>Streblus brunonianus</i>	Whalebone Tree
Myoporaceae	<i>Myoporum</i> sp.	A Boobialla
Myrsinaceae	<i>Embelia australiana</i>	Embelia
Myrsinaceae	<i>Myrsine howittiana</i> ( <i>Rapanea howittiana</i> )	Brush Muttonwood
Myrsinaceae	<i>Myrsine subsessilis</i> ( <i>Rapanea subsessilis</i> )	Red Muttonwood
Myrsinaceae	<i>Myrsine variabilis</i> ( <i>Rapanea variabilis</i> )	Muttonwood
Myrsinaceae	* <i>Tapeinosperma repandum</i> ( <i>Tapeinosperma</i> sp. 'Woombye', <i>T. pseudojambosa</i> )	*Southern Tapeinosperma

INDIGENOUS TREES, SHRUBS, PALMS, PALM LILIES AND TREEFERNS OF RAINFOREST AT BEECHMONT AND LOWER BEECHMONT, QUEENSLAND

## Trees and Shrubs DICOTYLEDONS cont.

<b>Family Name</b>	<b>Botanical Name</b>	<b>Common Name</b>
Myrtaceae	<i>Acmena hemilampra</i> subsp. <i>hemilampra</i> ( <i>Syzygium hemilamprum</i> subsp. <i>hemilamprum</i> )	Broad-leaved Lilly Pilly
Myrtaceae	<i>Acmena ingens</i> ( <i>Syzygium ingens</i> , <i>Acmena brachyandra</i> )	Red Apple
Myrtaceae	<i>Acmena smithii</i> ( <i>Syzygium smithii</i> )	Creek Lilly Pilly
Myrtaceae	<i>Archirhodomyrtus beckleri</i>	Rose Myrtle
Myrtaceae	* <i>Backhousia myrtifolia</i>	*Carrol, Grey Myrtle
Myrtaceae	* <i>Choricarpia leptopetala</i>	*Brown Myrtle
Myrtaceae	<i>Decaspermum humile</i>	Silky Myrtle
Myrtaceae	<i>Gossia acmenoides</i> ( <i>Austromyrtus acmenoides</i> )	Scrub Ironwood
Myrtaceae	<i>Gossia bidwillii</i> ( <i>Austromyrtus bidwillii</i> )	Python Tree
Myrtaceae	<i>Gossia hillii</i> ( <i>Austromyrtus hillii</i> )	Scaly Myrtle
Myrtaceae	<i>Gossia punctata</i> ( <i>Austromyrtus</i> sp. 'Brookfield')	Dotted Myrtle
Myrtaceae	*R <i>Lenwebbia prominens</i> ( <i>Austromyrtus</i> sp. Upper Mudgeeraba Creek, <i>A. lasioclada</i> )	*Southern Velvet Myrtle
Myrtaceae	<i>Lophostemon confertus</i> ( <i>Tristania conferta</i> )	Brush Box, Pink Box
Myrtaceae	<i>Pilidiostigma glabrum</i>	Plum Myrtle
Myrtaceae	<i>Rhodamnia argentea</i>	Malletwood, Silver Myrtle
Myrtaceae	* <i>Rhodamnia dumicola</i>	*Malletwood
Myrtaceae	<i>Rhodamnia rubescens</i> ( <i>Rhodamnia trinervia</i> )	Scrub Trupentine, Scrub Stringybark, Brown Malletwood
Myrtaceae	<i>Rhodomyrtus psidioides</i>	Native Guava
Myrtaceae	<i>Syncarpia glomulifera</i> subsp. <i>glomulifera</i>	Turpentine
Myrtaceae	<i>Syzygium australe</i>	Scrub or Brush Cherry
Myrtaceae	<i>Syzygium corynanthum</i>	Sour Cherry
Myrtaceae	<i>Syzygium crebrinerve</i>	Purple Cherry
Myrtaceae	<i>Syzygium francisii</i>	Giant Water Gum, Francis's Water Gum
Myrtaceae	V <i>Syzygium moorei</i>	Duroddy, Rose Apple, Coolamon
Myrtaceae	<i>Syzygium oleosum</i> ( <i>S. coolminianum</i> )	Blue Lilly Pilly
Myrtaceae	<i>Tristaniopsis laurina</i> ( <i>Tristania laurina</i> )	Water Gum
Oleaceae	*E <i>Jasminum jenniae</i>	*Shrubby Jasmine

INDIGENOUS TREES, SHRUBS, PALMS, PALM LILIES AND TREEFERNS OF RAINFOREST AT BEECHMONT AND LOWER BEECHMONT, QUEENSLAND

## Trees and Shrubs DICOTYLEDONS cont.

<b>Family Name</b>	<b>Botanical Name</b>	<b>Common Name</b>
Oleaceae	<i>Notelaea johnsonii</i>	Veinless Mock-Olive
Oleaceae	<i>Notelaea longifolia forma glabra</i>	Large Mock-Olive
Oleaceae	<i>Olea paniculata</i>	Native Olive
Pennantiaceae (Icacinaceae)	<i>Pennantia cunninghamii</i>	Brown Beech
Phyllanthaceae (Euphorbiaceae)	<i>Actephila lindleyi</i>	Actephila
Phyllanthaceae (Euphorbiaceae)	<i>Breynia oblongifolia</i>	Coffee Bush, Breynia
Phyllanthaceae (Euphorbiaceae)	<i>Bridelia exaltata</i>	Brush Ironbark, Scrub Ironbark
Phyllanthaceae (Euphorbiaceae)	<i>Cleistanthus cunninghamii</i>	Omega, Cleistanthus
Phyllanthaceae (Euphorbiaceae)	<i>Glochidion ferdinandi</i>	Cheese Tree
Phyllanthaceae (Euphorbiaceae)	* <i>Glochidion ferdinandi var. pubens</i>	*Cheese Tree (pubescent variety)
Picrodendraceae (Euphorbiaceae)	<i>Dissiliaria baloghioides</i>	Hauer, Lancewood
Pittosporaceae	<i>Auranticarpa rhombifolia</i> ( <i>Pittosporum rhombifolium</i> )	Diamond-leaved or Holly-leaved Pittosporum, White Hollywood
Pittosporaceae	<i>Bursaria spinosa</i>	Black Thorn
Pittosporaceae	<i>Hymenosporum flavum</i>	Native Frangipani
Pittosporaceae	<i>Pittosporum multiflorum</i> ( <i>Citriobatus pauciflorus</i> )	Orange Thorn
Pittosporaceae	<i>Pittosporum revolutum</i>	Hairy Pittosporum
Pittosporaceae	<i>Pittosporum undulatum</i>	Sweet Pittosporum, Mock Orange, Native Daphne
Proteaceae	<i>Grevillea robusta</i>	Silky Oak
Proteaceae	* <i>R Helicia ferruginea</i>	*Rusty Helicia
Proteaceae	<i>Helicia glabriflora</i>	Smooth Helicia
Proteaceae	* <i>V Macadamia integrifolia</i>	*Macadamia Nut
Proteaceae	* <i>Stenocarpus salignus</i>	*Scrub Beefwood
Proteaceae	<i>Stenocarpus sinuatus</i>	Wheel of Fire
Putranjivaceae (Euphorbiaceae)	<i>Drypetes deplanchei</i> ( <i>D. australasica</i> )	Yellow Tulip
Quintiniaceae (Grossulariaceae)	* <i>Quintinia verdonii</i>	*Grey Possumwood, Smooth Possumwood
Rhamnaceae	<i>Alphitonia excelsa</i>	Red Ash, Soap Tree
Rhamnaceae	<i>Emmenosperma alphitonioides</i>	Yellow Ash, Bonewood
Ripogonaceae (Smilacaceae)	<i>Ripogonum album</i>	White Supplejack
Rosaceae	<i>Rubus moluccanus</i> ( <i>R. hillii</i> )	Molucca Bramble, Molucca Raspberry

INDIGENOUS TREES, SHRUBS, PALMS, PALM LILIES AND TREEFERNS OF RAINFOREST AT BEECHMONT AND LOWER BEECHMONT, QUEENSLAND

## Trees and Shrubs DICOTYLEDONS cont.

<b>Family Name</b>	<b>Botanical Name</b>	<b>Common Name</b>
Rosaceae	* <i>Rubus moorei</i>	*Green-leaved Bramble, Silky Bramble
Rosaceae	<i>Rubus rosifolius</i>	Wild or Rose-leaved Raspberry, Rose-leaved Bramble
Rubiaceae	<i>Atractocarpus benthamianus</i> subsp. <i>glaber</i> ( <i>Randia benthamiana</i> )	Native Gardenia
Rubiaceae	<i>Atractocarpus chartaceus</i> ( <i>Randia chartacea</i> )	Narrow-leaved Gardenia
Rubiaceae	<i>Cyclophyllum longipetalum</i> ( <i>Canthium coprosmoides</i> )	Brush Canthium (Coast Canthium)
Rubiaceae	<i>Hodgkinsonia ovatiflora</i>	<i>Hodgkinsonia</i> , Golden Ash
Rubiaceae	<i>Ixora beckleri</i>	Native Ixora
Rubiaceae	<i>Pavetta australiensis</i>	Pavetta
Rubiaceae	<i>Psychotria daphnoides</i>	Smooth Psychotria
Rubiaceae	<i>Psychotria loniceroidea</i>	Hairy Psychotria
Rubiaceae	<i>Psychotria simmondsiana</i>	Small Psychotria
Rubiaceae	<i>Psydrax lamprophylla</i> ( <i>Cathium lamprophyllum</i> )	Large-leaved Canthium
Rubiaceae	* <i>Psydrax odorata</i> ( <i>Cathium odoratum</i> )	*Shiny-leaved Canthium
Rutaceae	R <i>Acronychia baeyerlenii</i>	Byron Bay Acronychia
Rutaceae	<i>Acronychia laevis</i>	Glossy Acronychia
Rutaceae	* <i>Acronychia oblongifolia</i>	*White or Common Acronychia
Rutaceae	* <i>Acronychia octandra</i> ( <i>Melicope octandra</i> )	*Doughwood
Rutaceae	<i>Acronychia pauciflora</i>	Soft Acronychia
Rutaceae	<i>Acronychia pubescens</i>	Hairy Acronychia
Rutaceae	<i>Bosistoa pentacocca</i> var. <i>pentacocca</i>	Ferny-leaved Bosistoa, Native Almond
Rutaceae	<i>Bouchardatia neurococca</i>	Union Nut
Rutaceae	<i>Citrus australasica</i> ( <i>Microcitrus australasica</i> )	Finger Lime
Rutaceae	<i>Flindersia australis</i>	Crow's Ash (Qld), Teak (NSW)
Rutaceae	<i>Flindersia bennettiana</i>	Bennett's Ash
Rutaceae	<i>Flindersia schottiana</i>	Cudgerie, Bumpy Ash
Rutaceae	<i>Flindersia xanthoxyla</i>	Yellowwood, Long Jack
Rutaceae	<i>Geijera salicifolia</i> ( <i>Geijera salicifolia</i> var. <i>latifolia</i> )	Brush or Scrub Wilga, Broad-leaved Brush Wilga
Rutaceae	<i>Halfordia kendack</i>	Saffron Heart, Southern Ghitoe

INDIGENOUS TREES, SHRUBS, PALMS, PALM LILIES AND TREEFERNS OF RAINFOREST AT BEECHMONT AND LOWER BEECHMONT, QUEENSLAND

## Trees and Shrubs DICOTYLEDONS cont.

<b>Family Name</b>	<b>Botanical Name</b>	<b>Common Name</b>
Rutaceae	<i>Medicosma cunninghamii</i>	Medicosma, Pinkheart, Bonewood
Rutaceae	<i>Melicope micrococca</i> ( <i>Euodia micrococca</i> )	White Euodia
Rutaceae	<i>Pentaceras australe</i> ( <i>Pentaceras australis</i> )	Bastard Crow's Ash (Qld), Crow's Ash (NSW), Penta Ash
Rutaceae	<i>Sarcomelicope simplicifolia</i> subsp. <i>simplicifolia</i>	Yellow Aspen, Bauerella
Rutaceae	<i>Zanthoxylum brachyacanthum</i>	Thorny Yellowwood
Rutaceae	* <i>V Zieria collina</i>	*Hill Zieria
Rutaceae	* <i>Zieria furfuracea</i> R.Br. ex Benth. subsp. <i>furfuracea</i> – <i>Z. furfuracea</i> subsp. <i>gymnocarpa</i> J.A. Armstr. ( <i>Zieria furfuracea</i> subsp. <i>furfuracea</i> )	*Scurfy Zieria (Warty Zieria)
Rutaceae	<i>Zieria smithii</i>	Sandfly Zieria
Sambucaceae (Caprifoliaceae)	<i>Sambucus australasica</i>	Native Elderberry, Yellow Elderberry
Sapindaceae	* <i>Alectryon reticulatus</i> ( <i>A. unilobatus</i> )	*Veiny Alectryon, Alectryon
Sapindaceae	<i>Alectryon subcinereus</i>	Wild or Native Quince
Sapindaceae	* <i>Alectryon subdentatus</i>	*Hard Alectryon
Sapindaceae	<i>Alectryon tomentosus</i>	Hairy Alectryon
Sapindaceae	<i>Arytera distylis</i>	Twin-leaved Coogera
Sapindaceae	<i>Arytera divaricata</i>	Coogera, Gap Axe, Rose Tamarind
Sapindaceae	<i>Atalaya multiflora</i>	Broad-leaved Whitewood
Sapindaceae	* <i>Atalaya salicifolia</i>	*Scrub or Brush Whitewood
Sapindaceae	<i>R Cupaniopsis newmannii</i>	Long-leaved Tuckeroo
Sapindaceae	<i>Cupaniopsis parvifolia</i>	Small-leaved Tuckeroo
Sapindaceae	* <i>Cupaniopsis serrata</i>	*Smooth Tuckeroo
Sapindaceae	<i>Diploglottis australis</i> ( <i>D. cunninghamii</i> )	Native Tamarind
Sapindaceae	<i>Elattostachys nervosa</i>	Green Tamarind, Beetroot
Sapindaceae	<i>Elattostachys xylocarpa</i>	White Tamarind
Sapindaceae	<i>Guioa semiglauba</i>	Guioa, Wild Quince
Sapindaceae	<i>Harpullia alata</i>	Wing-leaved Tulip
Sapindaceae	<i>Harpullia hillii</i>	Blunt-leaved Tulip
Sapindaceae	<i>Harpullia pendula</i>	Tulipwood, Corduroy
Sapindaceae	<i>Jagera pseudorhus</i> var. <i>pseudorhus</i>	Foambark, Fern Tree, Pink Tamarind
Sapindaceae	<i>R Lepiderema pulchella</i>	Fine-leaved Tuckeroo
Sapindaceae	<i>Mischocarpus anodontus</i>	Veiny Pear-fruit
Sapindaceae	<i>Mischocarpus australis</i>	Red Pear-fruit

INDIGENOUS TREES, SHRUBS, PALMS, PALM LILIES AND TREEFERNS OF RAINFOREST AT BEECHMONT AND LOWER BEECHMONT, QUEENSLAND

## Trees and Shrubs DICOTYLEDONS cont.

<b>Family Name</b>	<b>Botanical Name</b>	<b>Common Name</b>
Sapindaceae	<i>Mischocarpus pyriformis</i> subsp. <i>pyriformis</i>	Yellow Pear-fruit
Sapindaceae	<i>Rhysotoechia bifoliolata</i> subsp. <i>bifoliolata</i>	Twin-leaved Tuckeroo
Sapindaceae	<i>Sarcopteryx stipata</i>	Steelwood, Corduroy
Sapindaceae	<i>Toechima tenax</i>	Pitted-leaf Steelwood
Sapotaceae	<i>Pouteria australis</i> ( <i>Planchonella australis</i> )	Black Apple, Black or Wild Plum
Sapotaceae	<i>Pouteria myrsinifolia</i> ( <i>Planchonella myrsinoides</i> )	Blunt-leaved Coondoo, Yellow Plumwood
Sapotaceae	<i>Pouteria pohlmaniana</i> ( <i>Planchonella pohlmaniana</i> )	Yellow Boxwood
Simaroubaceae	<i>Ailanthus triphysa</i>	White Bean
Solanaceae	<i>Duboisia myoporoides</i>	Corkwood, Duboisia
Solanaceae	<i>Solanum aviculare</i>	Kangaroo Apple
Solanaceae	<i>Solanum corifolium</i>	Straggling Nightshade
Solanaceae	<i>Solanum prinophyllum</i>	Forest Nightshade, Southern Forest Nightshade
Solanaceae	<i>Solanum serpens</i> ( <i>Solanum</i> sp. Lamington)	Hoop Pine Solanum
Solanaceae	<i>Solanum shirleyanum</i>	Shirley's Nightshade, Straggling Nightshade
Solanaceae	<i>Solanum stelligerum</i>	Devil's Needles
Sterculiaceae	<i>Argyrodendron actinophyllum</i> subsp. <i>actinophyllum</i>	Black Booyong, Blush Tulip Oak, Black Jack
Sterculiaceae	<i>Argyrodendron trifoliolatum</i>	Booyong, White Booyong, Brown Tulip Oak, Crowsfoot Elm, Hickory
Sterculiaceae	<i>Brachychiton acerifolius</i>	Flame Tree, Flame Kurrajong
Sterculiaceae	<i>Brachychiton discolor</i>	Lacebark Tree, Scrub Bottle Tree
Sterculiaceae	* <i>Brachychiton populneus</i> subsp. <i>populneus</i>	*Kurrajong
Sterculiaceae	<i>Sterculia quadrifida</i>	Peanut Tree
Surianaceae	<i>Guilfoylia monostylus</i>	Guilfoylia, Scrub Ooline
Symplocaceae	<i>Symplocos thwaitesii</i>	Buff Hazlewood
Ulmaceae	<i>Aphananthe philippinensis</i>	Rough-leaved Elm, Axe-handle Wood, Grey Handlewood
Ulmaceae	<i>Celtis paniculata</i>	Native Celtis
Ulmaceae	<i>Trema tomentosa</i> ( <i>T. aspera</i> )	Poison Peach, Native Peach
Urticaceae	* <i>Boehmeria macrophylla</i> ( <i>B. macrophylla</i> var. <i>austroqueenslandica</i> )	*Native Ramie
Urticaceae	<i>Dendrocnide excelsa</i>	Giant Stinging Tree

INDIGENOUS TREES, SHRUBS, PALMS, PALM LILIES AND TREEFERNS OF RAINFOREST AT BEECHMONT AND LOWER BEECHMONT, QUEENSLAND

## Trees and Shrubs DICOTYLEDONS cont.

Family Name	Botanical Name	Common Name
Urticaceae	Dendrocnide photinophylla	Shiny-leaved or Mulberry-leaf Stinging Tree
Urticaceae	Pipturus argenteus	White Nettle, Native Mulberry
Winteraceae	*Tasmannia insipida	*Scrub, Brush or Black Pepperbush

Version 1, October 2007; Compiled by Pat Fitzgerald for The Beechmont District Landcare Association Inc.

### Sources:

Hauser, J. et. al. (2003) *Canungra Army Training Area Flora Survey 1990 – 2003*.

Holmes, G., Holmes, J. et. al. (1990-1994) *Indigenous Vascular Plants of Rainforest at "Killarney Glen", Beechmont via Canungra*.

Holmes, G. and Holmes, J. (1994) *Indigenous Vascular Plants, Land Warfare Centre, Canungra*. (This list focused on “Armitage Scrub”, approximately 1.3 km east of Killarney Falls, near the Army’s Tarlington Road.)

McDonald, W.J.F. (20 August 1996) *Numinbah Prison Reserve – List of Rainforest Species*.

McDonald, W.J.F. and Forster, P.I. (19 July 2001) *Species List for Rosins Lookout Conservation Park, Beechmont*.

### Notes

1. Presence of *Syzygium moorei* at Lower Beechmont confirmed by Gold Coast City Council, 2007.
2. The species marked with an asterisk (\*) are not known to inhabit the central Beechmont environs. However, they have been found on Commonwealth (Defence) land in the Armitage Creek and Back Creek catchments, ie. in the northernmost section of the Beechmont Range, generally west of the Lower Beechmont settlements (2). Most of these asterisked species have also been found in Lamington National Park . The species in this group that are not found in Lamington National Park are:

Alectryon reticulatus	Endiandra muelleri subsp. bracteata
Alectryon subdentatus	Glochidion ferdinandi var. pubens
Atalaya salicifolia	Hedraianthera porphyropetala
Backhousia myrtifolia	Jasminum jenniae
Chorocarpia leptopetala	Macadamia integrifolia
Cryptocarya glaucescens	Polyalthia nitidissima
Cryptocarya macdonaldii	Rhodomyrtus dumicola
Cryptocarya sclerophylla	Zieria collina

INDIGENOUS TREES, SHRUBS, PALMS, PALM LILIES AND TREEFERNS OF RAINFOREST AT BEECHMONT AND LOWER BEECHMONT, QUEENSLAND

3. The additional species in this list were identified by Beechmont District Landcare Association members, 1992-2007.

### **Collecting and Identifying Flora Specimens**

Visit the Queensland Herbarium's website ([www.epa.qld.gov.au/herbarium](http://www.epa.qld.gov.au/herbarium)) and download the booklet *Collecting and preserving plant specimens, a manual.* (3)

The information sheets *How to send botanical specimens for identification or for incorporation into the state collection* and *Botanical specimens for identification – cover sheet* are also available on the Queensland Herbarium's website.

Queensland Herbarium contact details:

Email: [Queensland.Herbarium@epa.qld.gov.au](mailto:Queensland.Herbarium@epa.qld.gov.au)  
Phone: (07) 3896 9326  
Facsimile: (07) 3896 9624  
Postal Address: Queensland Herbarium,  
Brisbane Botanic Gardens Mt Coot-tha  
Mt Coot-tha Road  
Toowong Qld 4066

### **References:**

1. Bostock, P.D. & Holland, A.E. (eds) (2007). *Census of the Queensland Flora 2007.* Queensland Herbarium, Environmental Protection Agency, Brisbane.
2. Hauser, J. et. al. (2003) *Canungra Army Training Area Flora Survey 1990 – 2003*, Sites 4, 9, 10, 11, 15, 16, 17, 18, 21, 23, 24 and 30, Pages 4 to 30.
3. Reference 1. above, Pages 2, 4 and 5.

### **Further Reading:**

Floyd, A.G. (1989) *Rainforest Trees of Mainland South-eastern Australia.* (Inkata Press: Melbourne).

Francis, W.D. (1970) *Australian rain-forest trees.* (Australian Government Printing Service: Canberra).

Harden, G., McDonald, B. & Williams, J (2006) *Rainforest Trees and Shrubs: A field guide to their identification.* (Gwen Harden Publishing).

Logan River Branch S.G.A.P. (Qld Region) Inc. (2002, 2003) *Mangroves to Mountains: A Field Guide to Native Plants of S.E. Queensland and N.E. New South Wales.* Vol. 1. (Copyright Publishing Co. Pty Ltd: Brisbane).

INDIGENOUS TREES, SHRUBS, PALMS, PALM LILIES AND TREEFERNS OF RAINFOREST AT BEECHMONT AND LOWER BEECHMONT, QUEENSLAND

Logan River Branch S.G.A.P. (Qld Region) Inc. (2005) *Mangroves to Mountains: A Field Guide to Native Plants of South-east Queensland*. Vol. 2. (Watson Ferguson & Company: Moorooka, Brisbane).

McDonald, W.J.F. and Thomas, M.B. (1993) *The Flora of Lamington National Park*, Second Edition (Queensland Herbarium and Botany Branch, Queensland Department of Primary Industries, Brisbane).

Nicholson, N. & H. (1985, 1988, 1991, 1994, 2000, 2004) *Australian Rainforest Plants, I–VI*. (Terania Rainforest Publishing: The Channon, N.S.W.).

Williams, J.B., Harden, G.J. & McDonald, W.J.F. (1984) *Trees & Shrubs in Rainforests of New South Wales & Southern Queensland* (University of New England Printery, Armidale).

#### INDIGENOUS TREES, SHRUBS, PALMS, PALM LILIES AND TREEFERNS OF RAINFOREST AT BEECHMONT AND LOWER BEECHMONT, QUEENSLAND